



# INDEX MAPS.

## T. 15 N, R. 3 E. 2<sup>nd</sup> Mer.



## T. 16 N R. 3 E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

## South Boundary

August 10<sup>th</sup>. 1819. Variation 6. 22' E.

West On S. boundary of Sec. 36, T16 N. R3 E.

40.00 Set the q. Sec. post, from which  
a Cherry 9 in. dia. bears N 22 W 15 lks. dist. 8  
a Buckeye 6 " " " S 67 E 14 " "

44.43 a Beech 24 " "

80.00 Set a post Corner to Sec. 35 & 36 T16 N R3 E. from which  
a Cherry 12 in. dia. bears S 51 E 33 lks. dist. 8  
a Buckeye 7 " " " N 43 E 28 " "

Rich bottom Land timber, Sugar, Elm, Buckeye  
Hackberry, Walnut, Lym, underg. Spice & paper pine.

West On S. boundary of Sec. 35, T16 N. R. 3 E.

40.00 Set the q. Sec. post, from which  
a Hickory 6 in. dia. bears N 10 E 21 lks. dist. 8  
a Buckeye 9 " " " S 10 W 18 " "

60.15 a W. Oak 20 " "

75.00 to Fall Creek 150 lks. wide Course S. W.

80.00 Set a post Cor. to Sec. 34 & 35 T16 N R3 E. from which  
an Ash 7. in. dia. bears N 55 W 29. lks. dist. 8  
an Elm 7. " " " S 74 E 8 " "  
Land timber &c. Same as on the last mile

West On S boundary of Sec. 34, T16 N. R. 3 E.

8.50 to Fall creek 150 lks. wide Course N. W.

15.50 to Same 150 " " " S. W.

23.12 a W. Oak 30 in. dia.

40.00 Set the q. Sec. post from which

a Blue Ash 22 in. dia. bear N 42 E 5 lks. dist. 8  
a Buckeye 7 " " " S 31 W 10 " "

47.50 Set a post on left bank of W. river (589 wide) from which  
a Blue Ash 18 in. dia. bears N 87 E 16 lks. dist. 8



# N 6 N R 3 E 2<sup>d</sup> Mer. Indiana

- a Blue Ash 8 in. dia. bears S 12 E 12 lks. dist. 4  
 53.39 Set a post on Right bank of W. river from which  
 a Sycamore 10 in. dia. bears S 11 E 21 lks. dist. 4  
 a Box Elder 24 " " " N 40 W 29 " "  
 63.00 a Walnut 24 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T 16 N. R 3 E. from which  
 a Buckeye 14 in. dia. bears N 52 E 24 lks. dist. 4  
 a Do 12 " " " S 18 W 12 " "  
 2<sup>d</sup> rate bottom, timber Elm, Sugar, Walnut,  
 Buckeye, Hackberry undg<sup>d</sup>. Spice pawpaw & hives
- 

- West On S. boundary of Sec. 33, T 16 N. R 3 E.  
 40.00 Set the q. Sec. post, from which  
 a Sugar tree 20 in. dia. bears S 75 E 20 lks. dist. 4  
 a Hackberry 6 " " " N 41 W 12 " "  
 46.22 a Hackberry 30 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T 16 N. R 3 E. from which  
 a Buckeye 20 in. dia. bears S 67 E 33 lks. dist. 4  
 a Sugar 18 " " " N 55 W 27 " "  
 1<sup>st</sup> rate land timber Sugar Walnut, Buckeye hack-  
 berry, Elm & undg<sup>d</sup>. Spice pawpaw - herbage -  
 Peavine & nettles & dead timber.
- 

- West On S. boundary of Sec. 32, T 16 N. R 3 E.  
 38.10 a Walnut 48 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 15 in. dia. bears N 49 W 6 lks. dist. 4  
 a Ash 6 " " " N 62 E 14 " "  
 59.33 a Cherry 22 " "  
 64.00 a Creek 25 lks. wide Course S. E.  
 80.00 Set a post Corner to Sec. 31 & 32, T 16 N. R 3 E. from which  
 a Sugar tree 25 in. dia. bears S 73 W 16 lks. dist. 4  
 on Elm 7 " " " N 32 E 19 " "

# West R3E. 2<sup>d</sup>. Mer. Indiana

Land timber &c. Same as on the last mile.

- 
- West On S. boundary of Sec. 31, T16 N 3 E.  
 40.00 Set the q<sup>r</sup>. Sec post, from which  
 a Hackberry 7 in. dia<sup>r</sup>. bears N 70<sup>W</sup> 17 lks. dist. &  
 a Sugar tree 21 " " " S 53 E 20 " "  
 57.91 a Sugar tree 20 " "  
 67.46 Intersected the N. & S. line at the Corner of  
 Townships N<sup>o</sup>. 15 & 16 North, Range N<sup>o</sup>. 2 & 3 E.  
 This mile 2<sup>d</sup>. rate bottom land, timber Sugar  
 Walnut, Buckeye, Sycam, Blue Ash &c.  
 ung<sup>th</sup>. Spice, pawpaw & Grape vines &c.
- 

- East Boundary var. E. 15' E.  
 North On E. boundary of Sec. 36, T16 N. R3 E.  
 23.68 a Buckeye 18 in. dia<sup>r</sup>.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Hackberry 9 in. dia<sup>r</sup>. bears N 10<sup>W</sup> 9 lks. dist. &  
 a Hickory 14 " " " N 10 E 23 " "  
 41.68 a W. Ash 36 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, from which  
 an Elm 18 in. dia<sup>r</sup>. bears S 50 E 16 lks. dist. &  
 a Buckeye 14 " " " N 54 W 11 " "  
 2<sup>d</sup>. rate Bottom, Elm, Walnut, Sugar, Buckeye  
 Hackberry &c. ung<sup>th</sup>. Spice, pawpaw &c.
- 

- North On E. boundary of Sec. 25, T16 N. R3 E  
 7.72 a Hackberry 36 in. dia<sup>r</sup>.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 30 in. dia<sup>r</sup>. bears S 28 W 17 lks. dist. &  
 a Hackberry 7 " " " N 54 E 20 " "  
 53.42 a Beech 33 " "  
 80.00 Set a post Cor. to Sec. 24 & 25, from which

# T6N R3E 2<sup>d</sup> Mer. Indiana

a Sycamore 75 in. dia. - bray N51W 23 lks. dist. of  
 a Beech 12 " " " N74E 20 " "  
 2<sup>d</sup> rate bottom, Sugar, Walnut, Hackberry  
 Honey Locust, Elm &c. and dg. <sup>th</sup> pawpaw, Buckeye &c.

North On E. boundary of Sec. 24, T6N. R3E.

14.98 a W. Oak 30 in. dia.

27.50 a Creek 150 lks. wide Course S. W

40.00 Set the q. Sec. post, from which  
 an Ash 12 in. dia. - bray N11W 1 lks. dist. of  
 a Buckeye 10 " " " N29E 19 " "

52.21 a Blue Ash 33 " "

80.00 Set a post Corner, to Sec. 13 of 24, T6N. R3E.  
 a Buckeye 15 in. dia. - bray N51W 1 lks. dist. of  
 a Sugar 15 " " " N67E 46 " "  
 1<sup>st</sup> rate land, timber Sugar, Hackberry, Elm,  
 Buckeye, Walnut &c. and dg. <sup>th</sup> Spice, pawpaw &  
 grape vines &c.

North On E. boundary of Sec. 13, T6N. R3E.

40.00 Set the q. Sec. post, from which  
 a Sugar 14 in. dia. - bray N10W 1 lks. dist. of  
 a No 18 " " " N43E 40 " "

62.65 an Elm 16 " "

80.00 Set a post Cor. to Sec. 12 of 13, from which  
 an Elm 18 in. dia. - bray N18W 9 lks. dist. of  
 a Beech 10 " " " N24E 38 " "  
 1<sup>st</sup> rate land, timber (mostly, Sugar some  
 Elm, Buckeye, Beech, &c. and dg. <sup>th</sup> Spice & pawpaw

North On E. boundary of Sec. 12, T6N. R3E.

12.39 an Elm 60 in. dia.

40.00 Set the q. Sec. post, from which

# West R 3 E. 2<sup>d</sup> Mer. Indiana

a Sugar 33 in. dia. bray West 25 lks. dist. of  
 a Ro 18 " " " S 38 E 4 " "  
 59.69 a W. Ash 30 " "  
 76.10 to a pond impassable, let post between  
 Sec. 7 of 12, from which  
 a Maple 18 in dia bray N 4 W 16 lks. dist. of  
 an Elm 15 " " " N 63 E 23 " "  
 80.00 Let a post 30 lks. E. of the true corner of  
 Sec. 1 of 12 which is in the pond, from which  
 an Elm 36 in. dia. bray South 4 lks. dist. of  
 a Maple 10 " " " N 29 E 11 " "  
 This mile good farming land, timber, Sugar  
 Hackberry, Walnut, Buckeye, Elm, Blue Ash,  
 & underg<sup>th</sup> Spruce, paw paw & grape vines

---

North On E. boundary of Sec. 1, T 16 N. R 3 E.  
 15.56 a Hickory 18 in. dia.  
 40.00 Let the of. Sec. post, from which  
 a Beech 27 in dia. bray S 83 E 3 lks. dist. of  
 a Ro 31 " " " N 57 W 19 " "  
 62.85 a Beech 33 " "  
 78.05 Intersected the line of Correction 21.50 lks.  
 East of a post Cor. to Sec. 35 of 36, T 17 N. R  
 3 E. Let a post, Cor. to Township, N. 16 N.  
 Range, N. 3 of 4 East, from which  
 a Buckeye 8 in. dia. bray S 30 W 5 lks. dist. of  
 a Hackberry 30 " " " N 82 E 11 " "  
 Land timber etc. Same as the last. Aug. 10, 1819  
 Surveyed by Solomon C. Donald, R. S.

---

North Boundary  
 The following notes, were taken by Wm. B.  
 Laughlin, who thought that he had made



# Nest N. E. 2<sup>nd</sup> Mer. Indiana

a great discovery in finding out, that the corner of T17N. did not coincide with those of T16N. Though these notes are <sup>the</sup> work of Superserogation, it is <sup>thought</sup> to be advisable to transcribe them. S.M.

- Nest On N. boundary of Sec. 1, T16N. R3E.  
 22.00 found first Mile post, & a few links farther another Cut out defaced Corner  
 40.00 Let the gr. Sec. post, from which  
     a Buckeye 10 in. dia. - bray N16E - 4 1/2 k. dist.  
 77.00 Let a post on left bank of River, from which  
     an Ash 30 in. dia. - bray N71E 6 1/2 k. dist. &  
     a Do 12 " " " N88W 5 " "  
 80.00 Cor. to Sec. 1 of 2 in River, from which  
     a W. Oak 24 in. dia. - bray West 388 k. dist. &  
     an Elm 12 " " " N88E 135 " "

- 
- Nest On N. boundary of Sec. 2, T16N. R3E.  
 2.39 Let a post on right bank of River, from which  
     a W. Oak 24 in. dia. - bray S35E 8 k. dist. &  
     a Red bud 5 " " " S65W 4 " "  
 40.00 Let the gr. Sec. post, from which  
     a Buckeye 12 in. dia. - bray N21W 3 k. dist. &  
     a Do — " " " N18W 15 " "  
 80.00 Let a post cor. to Sec. 2 of 3, from which  
     a Dogwood 4 in. dia. - bray N41W 6 k. dist. &  
     a Red bud 12 " " " S20E 20 " "

- 
- Nest On N. boundary of Sec. 3, T16N. R3E.  
 40.00 Let the gr. Sec. post, from which  
     a Beech 20 in. dia. - bray S1E 14 k. dist. &  
     a Hornbeam 3 " " " N10W 15 " "  
 80.00 Let a post Cor. to Sec. 3 of 4, from which  
     a Sugar 12 in. dia. - bray S86E 9 k. dist. &



# West R 3 E. 5<sup>th</sup> Mer. Indiana

a Sugar 12 in. dia. bray S 50 W 25 lks. dist.

West On N. boundary of Sec 4, T 6 N. R 3 E.

40.00 Set the gr. Sec. post, from which  
a Poplar 20 in. dia. bray N 23 W 14 lks. dist.  
a Beech 12 " " " S 9 W 16 " "

80.00 Set a post Cor. to Sec. 4 & 5, from which  
a W. Oak 24 in. dia. bray South 3 lks. dist.  
an Ironwood 4 " " " N 3 W 16 " "

West On N. boundary of Sec. 5, T 6 N. R 3 E.

40.00 Set the gr. Sec. post, from which  
a W. Oak 10 in. dia. bray S 76 W 28 lks. dist.  
a Poplar 30 " " " N 82 E 23 " "

80.00 Set a post Cor. to Sec. 5 & 6, from which  
a Buckeye 4 in. dia. bray S 53 W 13 lks. dist.  
a Do 8 " " " N 44 E 14 " "

West On N. boundary of Sec. 6, T 6 N. R 3 E.

15.00 found a Township Corner, with all the marks  
and blaze - a line running North

40.00 Set the gr. Sec. post, from which  
an Ironwood 8 in. dia. bray S 9 W 11 lks. dist.  
a Beech 12 " " " N 40 E 23 " "

68.75 to Township Corner.

West Boundary var. 6° 15' E.

North On E. boundary of Sec. 36, T 6 N. R 2 E.

21.58 a W. Ash 21 in. dia.

40.00 Set the gr. Sec. post, from which  
a Cherry 10 in. dia. bray N 10 E 15 lks. dist.  
a Beech 12 " " " N 27 W 26 " "

80.00 Set a post Cor. to Sec. 25 & 36, T 6 N. R 2 E, from which

# T6. N. R3 E. 2<sup>d</sup> Mer. Indiana

a Buckeye 7 in. dia. bray N23W 20 lks. dist. of  
 a Hickory 6 " " " N16E 8 " "  
 1<sup>st</sup> rate land, Sugar, Walnut, Buckeye, Hickory  
 Cherry &c. underg. <sup>th</sup> Spice paw paw & grape vines

North On E. boundary of Sec. 25, T6. N. R2 E.

23.25 a Lym 9 in. dia.

40.00 Let the gr. Sec. post, from which  
 a W. Ash 18 in. dia. bray N77E 14 lks. dist. of  
 a Sugar 12 " " " N86W 21 " "

57.00 ——— (omitted)

80.00 Let a post Cor. to Sec. 24 & 25, T6. N. R2 E. from which  
 an Elm 20 in. dia. bray N77W 15 lks. dist. of  
 a W. Ash 8 " " " N81E 39 " "  
 Good farming land, Beech, Sugar, Elm, Oak  
 Hickory &c. underg. <sup>th</sup> Spice. Wednesday 11<sup>th</sup> Aug. 1819

North On E. boundary of Sec. 24, T6. N. R2 E.

26.48 a W. Oak 22 in. dia.

42.00 Let the gr. Sec. post, from which  
 a Sugar tree 27 in. dia. bray N56E 15 lks. dist. of  
 a Buckeye 6 " " " N56W 25 " "

64.59 a Sugar tree 22 " "

80.00 Let a post Cor. to Sec. 13 & 24, T6. N. R2 E. from which  
 a Buckeye 18 in. dia. bray N43W 20 lks. dist. of  
 a Beech 7 " " " N9E 18 " "  
 Good farming land, Sugar, Walnut, Elm, Buckeye  
 Lym &c. underg. <sup>th</sup> Spice &c.

North On E. boundary of Sec. 13, T6. N. R2 E.

40.00 Let the gr. Sec. post, from which

a W. Oak 20 in. dia. bray N29W 10 lks. dist. of  
 a Beech 8 " " " N55E 11 " "

# T6 N. R 3 E. 2<sup>d</sup>. Mer. Indiana

- 46.50 a Branch 20 lks. wide Course S. E.  
 48.42 a Hickory 22 in. diam.  
 80.00 Let a post Cor. to Sec. 12 of 13, T6 N. R 3 E, from which  
 a Hickory 20 in. diam. bear S 1/4 E 1/4 lks. dist. of  
 an Oak 6 " " " N 31 W 03 " "  
 Good farming land, Sugar, Beech, Walnut, H. Oak,  
 Hickory, H. Ash, Lym &c. underg. <sup>the</sup> Spruce

- North On E. boundary of Sec. 12, T6 N. R 3 E.  
 8.68 a Walnut 30 in. diam.  
 40.00 Let the q. Sec. post, from which  
 a Sugar 18 in. diam. bear N 70 W 11 lks. dist. of  
 a Do 6 " " " S 77 E 25 " "  
 59.00 a Creek 50 lks. wide Course S. E.  
 62.78 a Cherry 36 in. diam.  
 70.50 Same Creek above S. W.  
 80.00 Let a post Cor. to Sec. 12 of 13, T6 N. R 3 E, from which  
 a Beech 21 in. diam. bear West 3 lks. dist. of  
 a Do 7 " " " N 84 E 21 " "  
 Good farming land, timber as the last & Cherry

- North On E. boundary of Sec. 1, T6 N. R 3 E.  
 7.00 a Branch 12 lks. wide Course S. E.  
 16.20 an Elm 30 in. diam.  
 22.00 a Creek 40 lks. wide Course S. E.  
 40.00 Let the q. Sec. post, from which  
 a Dogwood 5 in. diam. bear S 60 W 7 lks. dist. of  
 a Beech 14 " " " N 51 E 27 " "  
 42.00 a Creek 40 lks. wide Course S. W.  
 74.82 a Poplar 42 in. diam.  
 77.50 Intersected the line of Correction 8.87 lks. West  
 of a q. Sec. post on S. boundary of Sec. 36, T17 N  
 Range 2 E, and let a post Cor. to Township

# N. 16. N. R. 3 E. 2<sup>d</sup>. Mer. Indiana

N. 16. N. Range N. 2<sup>d</sup> 3 East, from which  
 a Beech 10 in. dia. - bray N 45 W 20 lks. dist. of  
 a Sugar 20 " " " N 64 E 28 " "  
 Good farming land, timber, Sugar, Beech, Elm,  
 Ash, Poplar, Sycamore &c. Some Oak & Buckeye  
 underg<sup>g</sup>. Spruce, prairie &c.

Surveyed by John M. Donald, R. S.

## Subdivision.

North Between Sec. 35 & 36, N. 16. N. R. 3 E.

7.69 a Honey Locust 12 in. dia.

14.00 a B. Walnut 20 " "

40.00 Set the g. Sec. post, from which  
 an Elm 12 in. dia. - bray N 72 W 38 lks. dist. of  
 a Sugar 15 " " " N 67 E 48 " "

44.76 a Beech 30 " "

62.26 an Elm 14 " "

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Buckeye 12 in. dia. - bray N 70 W 19 lks. dist. of  
 a Sugar 8 " " " N 55 E 10 " "  
 Land 1<sup>st</sup> rate, timber Sugar, Ash, Walnut &c.  
 undg<sup>g</sup>. Spicewood, Pickley Ash &c.

East On Ransom between Sec. 25 & 36, N. 16. N. R. 3 E.

40.00 Set temp. g. Sec. post

80.57 Intersected the E. boundary 48 lks. S. of post  
 Land 1<sup>st</sup> rate timber as on last mile

West On true line between Sec. 25 & 36, N. 16. N. R. 3 E.

40.28 $\frac{1}{2}$  Set g. Sec. post at average dist. from which  
 a Cherry 14 in. dia. - bray S 9 E 19 lks. dist. of  
 a Buckeye 12 " " " N 5 E 32 " "

80.57 to Sec. Corner.

# St. R 3 E, 2<sup>nd</sup> Mer. Indiana

North Between Sec. 25 & 26, St. R 3 E.

- 4.00 a Buckeye 14 in. dia.  
 7.18 a B. Walnut 34 " "  
 39.60 a Stream 50 lks. wide Course S. W.  
 40.00 Set a q. Sec. post, from which  
     a Sycamore 4 in. dia. bears S 26 E 32 lks. dist. &  
     a Do 6 " " " N 76 W 40 " "  
 46.30 a Buckeye 14 " "  
 51.39 a Do 14 " "  
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
     a Sugar 20 in. dia. bears S 74 W 6 lks. dist. &  
     a Do 20 " " " S 61 E 30 " "  
 Land 1<sup>st</sup>. rate timber Sugar, Ash, Walnut &c.  
 undergrowth Hickwood, P. Hy. Ash.

East On Random Between Sec. 24 & 25, St. R 3 E.

- 40.00 Set the temp. q. Sec. post  
 71.00 a Stream 50 lks. wide Cor. S.  
 80.05 Intersected the E. boundary 5 lks. S. of post  
 Land 1<sup>st</sup>. rate timber Sugar Ash Walnut &c.

West On true line Between Sec. 24 & 25, St. R 3 E.

- 40.02 1/2 Set q. Sec. post at average dist. from which  
     a Beech 12 in. dia. bears N 51 W 36 lks. dist. &  
     a Sugar 14 " " " S 63 E 21 " "  
 80.05 to Section Corner.

North Between Sec. 23 & 24, St. R 3 E.

- 7.50 a Sugar 24 in. dia.  
 15.00 a Beech 14 " "  
 40.00 Set q. Sec. post, from which  
     a Sugar 18 in. dia. bears S 64 W 34 lks. dist. &  
     a Buckeye 3 " " " N 53 E 11 " "



# *Sec. 12, 13, 14, 15, 16 N. R. 3 E. 2<sup>d</sup> Mer. Indiana*

65.78 a Hackberry 24 in. dia.  
 70.18 a Sugar 14 " "  
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
 and Elm 12 in. dia. bears N 45 E 16 lks. dist. &  
 a Sugar 18 " " " S 65 W 31 " "  
 Land level 1<sup>st</sup> rate timber, Sugar, Ash, Walnut &c.

---

East On Random Between Sec. 13 & 24, S 16 N R 3 E.  
 40.00 Set the temp. g. Sec. post -  
 79.20 Intersected the E. boundary 10 lks. N. of post  
 Land and timber as on the last mile.

---

West On true line Between Sec. 13 & 24, S 16 N. R. 3 E.  
 39.60 Set the g. Sec. post at. average dist. from which  
 a Beech 10 in. dia. bears N 21 W 10 lks. dist. &  
 a Do 24 " " " S 50 E 33 " "  
 79.20 To Section Corner.

---

North Between Sec. 13 & 14, S 16 N. R. 3 E.  
 15.40 a Sugar 14 in. dia.  
 23.50 a Hickory 14 " "  
 40.00 Set g. Sec. post from which  
 a Hickory 4 in. dia. bears S 55 W 19 lks. dist. &  
 a Do 3 " " " S 83 E 28 " "  
 45.28 a Sugar 30 " "  
 69.28 an Ash 24 " "  
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Buckeye 12 in. dia. bears S 88 E 28 lks. dist. &  
 a Hickory 5 " " " S 80 W 31 " "  
 Land 1<sup>st</sup> rate, timber Sugar, Ash, Walnut &c.  
 undergrowth Spice Prickly Ash &c.

---

East On Random Between Sec. 12 & 13, S 16 N R 3 E.

# 131

## T16N R3E 2<sup>nd</sup> Mer. Indiana

40.00 Set the temp'y. q't. Sec. post  
 79.16 Intersected the E. boundary 50 lks. N. of post.  
 Land & rate timber as before

---

West On true line Between Sec. 12 & 13, T16N R3E;  
 39.58 Set q't. Sec. post at average dist. from which  
 a Cherry 8 in. dia. bears S17 W 17 lks. dist. &  
 an Elm 2 " " " N30 W 11 " "  
 79.16 to Section Corner

---

North Between Sec. 11 & 12, T16N R3E.  
 9.25 a Buckeye 12 in. dia.  
 15.00 an Ash 14 " "  
 40.00 Set q't. Sec. post, from which  
 a Buckeye 4 in. dia. bears N36 E 15 lks. dist. &  
 an Ash 14 " " " S6 W 30 " "  
 40.69 an Elm 30 " "  
 45.35 a Beech 14 " "  
 50.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Hackberry 10 in. dia. bears N70 E 12 lks. dist. &  
 a Buckeye 12 " " " S25 W 3 " "  
 Land & rate -

---

East On Random Between Sec. 1 & 12, T16N R3E.  
 40.00 Set the temp'y. q't. Sec. post.  
 79.25 Intersected the E. boundary 16 lks. N. of post in Swamp.  
 Land as before -

---

West On true line Between Sec. 1 & 12, T16N R3E.  
 39.67 1/2 Set q't. Sec. post at average dist. from which  
 a Buckeye 3 in. dia. bears S73 E 12 lks. dist. &  
 a do 2 " " " N15 W 23 " "  
 79.25 to Section Corner

# T16 N R3 E 2<sup>d</sup> Mer. Indiana

North Between Secs. 14 & 2, T16 N R3 E,  
 38.20 an Ash 12 dia.  
 40.00 Set q. Sec. post. from which  
 a Beech 14 in. dia. bears N 86 W 6 lks. dist. &  
 an Ironwood 6 " " " S 30 E 13 " "  
 46.90 a Beech 30 " "  
 51.19 an Ash 10 " "  
 74.35 to White River. Set a post. from which  
 a Hornbeam 6 in. dia. bears N 74 E 28 lks. dist. &  
 an Elm 20 " " " S 7 E 40 " "  
 78.00 Intersected the N. boundary 1.15 lks. E. of post.  
 This Corner is in the middle of the River.

---

North Between Secs. 34 & 35, T16 N R3 E,  
 15.5 a Hickory 8 in. dia.  
 25.00 a Sycamore 8 1/2 " "  
 40.00 Set q. Sec. post. from which  
 an Elm 12 in. dia. bears S 11 E 19 lks. dist. &  
 a Box Elder 8 " " " N 9 W 19 " "  
 45.00 a Stream 50 lks. wide Course S. W.  
 48.50 Same Stream " S. E.  
 55.00 Do " S. W.  
 60.60 an Elm 10 in. dia. "  
 74.70 Same Stream " S. E.  
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which,  
 a Box Elder 10 in. dia. bears N 38 E 43 lks. dist. &  
 a Sycamore 12 " " " S 35 E 33 " "  
 Land P. rate -

---

East On Random Between Secs. 35 & 36, T16 N R3 E,  
 40.00 Set the temp. q. Sec. post  
 80.00 Intersected the N. & S. line 63 lks. N. of post.  
 Land and timber as on the last mile.

# T16 N R3 E 2<sup>d</sup> Mer. Indiana

West On true line Between Secs. 35 & 36, T16 N. R3 E.  
 40.10 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Buckeye 4 in dia. bears N 23 W 18 lks. dist. &  
 a Beech 5 " " " S 13 E 23 " "  
 80.00 To Section Corner.

North Between Secs. 26 & 27, T16 N. R3 E.  
 6.00 a Stream 50 lks. wide Course S. W.  
 15.00 Same Stream " S. E.  
 20.50 Same " S. W.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Buckeye 12 in. dia. bears N 54 W 13 lks. dist. &  
 a Hickory 5 " " " N 77 E 23 " "  
 41.50 a Sugar 30 " "  
 48.00 a Sugar 18 " "  
 80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which  
 a Beech 18 in. dia. bears S 35 E 19 lks. dist.  
 an Elm 10 " " " S 82 W 22 " "  
 Land P. rate and level.

East On Random Between Secs. 23 & 26, T16 N. R3 E.  
 40.00 Set the temp<sup>y</sup>. q<sup>r</sup>. Sec. post.  
 80.32 Intersected the N. & S. line 55 lks. N. of post  
 Land P. rate timber, Sugar, Ash, Walnut &c.

West On true line Between Secs. 23 & 26, T16 N. R3 E.  
 40.16 Set the q<sup>r</sup>. Sec. post at average dist. from which  
 an Ash 10 in. dia. bears N 64 E 13 lks. dist. &  
 a Buckeye 10 " " " N 84 W - " "

North Between Secs. 22 & 23, T16 N R3 E.  
 12.15 a Sugar 36 in. dia.  
 17.19 a Hackberry 30. "

T16 N. R3 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set the q<sup>1</sup> Sec. post, from which  
 a Cherry 4 in. dia'. bears N 69 E 32 lks. dist. &  
 a Beech 12 " " " S 41 W 20 " "  
 55.33 a Poplar 72 " "  
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which  
 a Beech 3 in. dia'. bears N 30 E 14 lks. dist. &  
 a Do 6 " " " West, 10 " "  
 Land and timber as before

East On Random Between Secs. 14 & 23, T16 N. R3 E.  
 40.00 Set the temp<sup>y</sup>. q<sup>1</sup> Sec. post  
 80.50 Intersected the N. & S. line 38 lks. N. of post  
 Land 2<sup>d</sup> rate timber, Beech, Sugar, Oak, &c.

West On true line between Secs. 14 & 23, T16 N. R3 E.  
 40.25 Set a q<sup>1</sup> Sec. post at average dist. from which  
 a Hickory 12 in. dia'. bears N 69 W 7 lks. dist. &  
 a Beech 14 " " " N 77 E 16 " "  
 90.50 to Section Corner

North Between Secs. 14 & 15, T16 N. R3 E.  
 10.00 a B. Walnut 48 in. dia'.  
 29.29 an Ash 12 " "  
 40.00 Set q<sup>1</sup> Sec. post. from which  
 a Beech 10 in. dia'. bears S 72 E 19 lks. dist. &  
 an Ash 3 " " " S 53 W 6 " "  
 45.60 a Beech 12 " "  
 46.00 a High Bluff 100 feet.  
 50.50 Set a post on left bank of River, S. W. from which  
 a Beech 4 in. dia'. bears N 54 E 33 lks. dist. &  
 an Ironwood 10 " " " N 76 W 11 " "  
 56.50 Set a post on Right bank of River, from which  
 an Ash 12 in. dia'. bears S 83 E 9 lks. dist.



# # 141

## T6 N R3 E 2<sup>d</sup> Mer. Indiana

- an Ash 14 in. dia. bears N 83 W 7. lks. dist.
- 69.00 Set a post on right bank of River, from which  
a Buckeye 10 in. dia. bears N 64 E 7 lks. dist. &  
an Ash 14 " " " S 64 W 20 " "
- 30.00 Cor. to Sec 10, 11, 14 & 15 in River from which  
a Sycamore 24 in. dia. bears West 2.65 lks. dist. &  
an Elm 36 " " " S 36 E 200 " "  
Land 2<sup>d</sup> rate timber Beech, Sugar, Oak &c.

- East On Random Between Sec. 11 & 14, T6 N R3 E,  
2.25 leave the River.
- 40.00 Set the temp. q. Sec. post
- 50.26 Intersected the N.A.S. line 1.00 lks. S. of post.  
Land 2<sup>d</sup> rate timber as on last mile.

- West On true line Between Sec. 11 & 14, T6 N R3 E,  
40.13 Set a q. Sec. post at average dist, from which  
a Beech 14 in. dia. bears N 55 E 19 lks. dist. &  
a Buckeye 8 " " " S 7 E 12 " "  
78.01 Set a post on left of River from which a Sugar 20 in. dia.  
bears S 8 E 11 lks. & a Hawthorn 3 in. dia. bears N 8 E 11 lks. dist. &  
80.26 to Section Corner

- North Between Sec. 10 & 11, T6 N R3 E,  
11.00 Set a post on left bank of River, from which  
a W. Oak 18 in. dia. bears N 68 W 11 lks. dist. &  
a Beech 10 " " " S 60 E 16 " "
- 40.00 Set q. Sec. post from which  
an Ash 12 in. dia. bears N 38 E 16 lks. dist. &  
a Buckeye 6 " " " S 35 W 24 " "
- 57.00 Set a post on left bank of River, from which  
a Hackberry 20 in. dia. bears N 41 E 43 lks. dist. &  
a Buckeye 12 " " " S 45 W 9 " "
- 65.00 Set a post on the Right bank, from which  
a B. Oak 10 in. dia. bears N 81 W 4 lks. dist. &

T6 N R3 E 2<sup>d</sup>. Mer. Indiana

a W. Oak 3 in. dia! bears S 62 E 9 lks. dist. 4  
 72. 00 a High Bluff 100 feet. (Land and timber as before)  
 80. 00 Set a post Cor. to Sec. 25, 10 & 11, from which  
 a Hickory 12 in. dia! bears N 53 W 19 lks. dist. 8  
 a Beech 14 " " " S 55 E 37 " "  
 Land 2<sup>d</sup> rate

East On Random Between Sec. 2 & 11, T6 N R3 E,  
 15. 00 a Spring S. W.  
 40. 00 Set the <sup>quarter</sup> of Sec. post  
 61. 00 to River S. W.  
 66. 35 to opposite side of River  
 80. 27 Intersected the N. & S. line 27 N. of post  
 Land 1<sup>st</sup> & 2<sup>d</sup> rate -

West On true line Between Sec. 2 & 11, T6 N R3 E,  
 13. 92 Set a post on left bank of River, from which  
 a Sugar 10 in. dia! bears S 63 W 25 lks. dist. 4  
 a Hickory 12 " " " N 73 E 14 " "  
 19. 27 Set a post on the Right bank, from which  
 a Buckeye 7 in. dia! bears N 9 E 19 lks. dist. 4  
 a Sugar 12 " " " S 37 W 6 " "  
 40. 13 Set of Sec. post at average dist. from which  
 a B. Walnut 20 in. dia! bears S 12 W 21 lks. dist. 4  
 a Beech 12 " " " N 29 E 29 " "  
 80. 27 to Section Corner

North Between Sec. 2 & 3, T6 N R3 E,  
 6. 50 a Sugar 12 in. dia!  
 35. 90 a Buckeye 8 " "  
 40. 00 Set of Sec. post, from which  
 a Beech 18 in. dia! bears N 47 W 13 lks. dist. 4  
 a Do 20 " " " S 6 E 22 " "

# St. R. 3 E. 2<sup>n</sup> Mer. Indiana

78.30 Intersected the St. boundary 10 lks. W. of post (after correction)  
 Set a post Corner to Sec. 27 & 3, from which  
 a Dogwood 4 in. dia. bears N 42 E 9 lks. dist. &  
 a Hickory 20 " " " N 63 W 14 " "  
 Land 2<sup>d</sup> rate -

North Between Sec. 33 & 34, T16 N. R. 3 E.  
 4.50 a Sugar 36 in. dia.  
 18.50 a Sugar 14 " "  
 36.17 Set a post on right bank of River, from which  
 a Beech 18 in. dia. bears N 77 W 5 lks. dist. &  
 a W. Oak " " " S 84 E 12 " "  
 40.00 q. Sec. Corner in. River, from which  
 a Maple 14 in. dia. bears N 53 E 76 lks. dist. &  
 a Do 12 " " " N 15 W 129 " "  
 41.12 Set a post on left bank of River, from which  
 a Maple 12 in. dia. bears N 42 W 22 lks. dist. &  
 a Do 12 " " " S 38 E 60 " "  
 50.15 a Locust 12 " "  
 80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which.  
 a Hackberry 14 in. dia. bears N 53 E 31 lks. dist. &  
 a Sugar 12 " " " S 44 W 15 " "  
 Land 1<sup>st</sup> rate timber Sugar Ash Walnut -

East On Pradom Between Sec. 27 & 34, T16 N. R. 3 E.  
 40.00 Set the temp. q. Sec. post,  
 79.00 a Stream 50 lks. wide Course S.  
 80.11 Intersected the N. & S. line 32 lks. S. of post  
 Land 1<sup>st</sup> rate timber Sugar Ash Walnut & Spice P. Ash

West On true line Between Sec. 27 & 34, T16 N. R. 3 E.  
 40.05 Set q. Sec. post at average dist. from which  
 a Hickory 20 in. dia. bears N 23 W 13 lks. dist. &

# T6 N R 3 E 2<sup>nd</sup> Mer. Indiana

80. 11 a Hickory 12 in. dia. bears S 22 W 14 lks. dist.  
to Section Corner

North Between Sec. 27 & 28. T6 N R 3 E,

8. 92 Set a post on left bank of River S. W. from which  
a W Oak 30 in. dia. bears S 85 E 25 lks. dist. &  
a Buckeye 12 " " " S 66 W 33 " "

15. 22 Set a post on Right bank of River, from which  
a Hackberry 14 in. dia. bears S 5 W 9 lks. dist. &  
a Buckeye 6 " " " N 33 W 10 " "

35. 00 Set a post on Right bank of River S. E. from which  
a Sycamore 24 in. dia. bears S 85 E 34 lks. dist. &  
a Maple 3 " " " S 87 W 45 " "

40. 00 q. Sec. Corner in River, from which  
a Sycamore 8 in. dia. bears S 26 W 21 9 lks. dist. &  
a Hackberry 18 " " " N 46 E 129 " "

42. 33 Set a post on left bank of River, from which  
an Ash 10 in. dia. bears S 5 W 8 lks. dist. &  
a Buckeye 20 " " " N 20 W 15 " "

48. 76 a B. Walnut 14 " "

60. 88 Set a post left bank of River S. W. from which  
an Ash 14 in. dia. bears S 10 E 7 lks. dist. &  
a Buckeye 12 " " " N 24 E 12 " "

69. 00 Set a post on right bank of River, from which  
an Ash 8 in. dia. bears N 68 E 12 lks. dist. &  
an Red Bud 12 " " " S 56 W 31 " "

90. 00 Set a post Corner To Sec. 21, 22, 27 & 28, from which  
a Hackberry 14 in. dia. bears N 45 W 24 lks. dist. &  
a Do 10 " " " S 67 E 22 " "

Land R. rate timber Ash Sugar Elm underg<sup>th</sup>  
Spicewood nettles &c.

East On Random Between Sec. 22 & 27. T6 N R 3 E.

# St. R 3 E. 2<sup>d</sup> Mer. Indiana

- 91.50 to River South  
 15.00 to River opposite side  
 40.00 Set the <sup>timber</sup> q. Sec post  
 80.32 Intersected the N. & S. line at post.  
 Land & rate timber as before -

- West On true line Between Sec. 22 & 27, St. R 3 E.  
 40.16 Set a q. Sec. post at averag dist, from which  
 a Beech 14 in. dia. bears S 55 E 20 lks. dist. &  
 a Do 12 " " " N 11 W 18 " "  
 65.32 Set a post on left bank of River, from which  
 a Beech 10 in. dia. bears S 30 W 9 lks. dist. &  
 a Hornbeam 4 " " " N 42 E 13 " "  
 70.82 Set a post on right bank of River, from which  
 an Ash 7 in. dia. bears N 42 W 15 lks. dist. &  
 an Elm 14 " " " S 54 E 17 " "  
 80.32 to Section Corner.

- North Between Sec. 21 & 22, St. R 3 E.  
 12.50 a Hackberry 14 in. dia.  
 20.60 a Buckeye 14 " "  
 40.00 Set q. Sec. post, from which  
 a Cherry 4 in. dia. bears N 79 E 19 lks. dist. &  
 a Beech 12 " " " N 81 W 28 " "  
 46.00 a Stream 10 lks. wide Course East  
 62.82 an Ash 10 in. dia.  
 80.00 Set a post Corner to Sec. 15, 16, 21, & 22, from which  
 a Beech 10 in. dia. bears N 78 E 23 lks. dist. &  
 a Dogwood 4 " " " S 53 W 13 " "  
 Land 2<sup>d</sup> rate Beech Ash Sugar Ac.

- East On Random Between Sec. 15 & 22, St. R 3 E.  
 30.00 to River S. E.



T16 N. R. 3 E. 2<sup>d</sup> Mer. Indiana

- 38.35 to opposite side of River.  
 40.00 Set the temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.50 Intersected the N. & S. line 5 lks. N. of post  
 Land 2<sup>d</sup> rate Beech Maple, Sugar &c.

- West On true line between Secs. 15 & 22, T16 N. R. 3 E.  
 40.25 Set a q<sup>r</sup>. Sec. post at average dist. from which  
 a Buckeye 4 in. dia. bears S 37 E 7 lks. dist. &  
 a Do 10 " " " N 27 E 14 " "  
 44.65 Set a post on left bank of River from which  
 a Buckeye 10 in. dia. bears S 11 E 12 lks. dist. &  
 a Do " " " N 24 W 28 " "  
 50.50 Set a post on right bank of River, from which  
 a Hornbeam 4 in. dia. bears N 85 W 5 lks. dist. &  
 an Ash 4 " " " East 19 " "  
 80.50 to Section Corner

- North Between Secs. 15 & 16, T16 N. R. 3 E.  
 18.70 a Hickory 24 in. dia.  
 31.14 a Beech 14 " "  
 40.00 Set a q<sup>r</sup>. Sec. post. from which  
 a B. Oak 30 in. dia. bears N 86 E 21 lks. dist. &  
 a Beech 14 " " " S 55 W 17 " "  
 48.30 an Ash 24 " "  
 70.00 a W. Walnut 12 " "  
 80.00 Set a post Corner to Secs. 9, 10, 15 & 16. from which  
 a Buckeye 14 in. dia. bears N 82 E 25 lks. dist. &  
 a Do 6 " " " S 71 W 20 " "  
 Land 1<sup>st</sup> rate timber Sugar, Ash Walnut,  
 Beech &c. Spice wood &c.

- East On Random Between Secs. 10 & 15, T16 N. R. 3 E.  
 40.00 Set the temp<sup>y</sup>. q<sup>r</sup>. Sec. post

# Sec. 3 E. 2<sup>n</sup>. Mer. Indiana

78.00 to White River  
 80.80 Intersected the N. & S. line 78 lks. from post in river.  
 Land 1<sup>st</sup> rate timber as before.

West On true line between Sec. 10 & 15, T16 N. R. 3 E.  
 2.80 Set a post on river bank, from which  
 an Ash 18 in. dia. bears N 39 W 22 lks. dist. &  
 a Do 12 " " " S 41 E 3 " "  
 40.40 Set the q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bears S 50 W 3 lks. dist. &  
 a Sugar 20 " " " S 39 E 15 " "  
 80.80 to Section Corner

North Between Sec. 9 & 10, T16 N. R. 3 E.  
 18.50 a Beech 24 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 18 in. dia. bears N 64 E 22 lks. dist. &  
 an Ash 14 " " " S 46 W 9 " "  
 46.50 an Ash 18 " "  
 51.60 a Stream 10 lks. Course S. W.  
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
 a Hickory 3 in. dia. bears S 47 E 7 lks. dist. &  
 a Beech 36 " " " N 25 W 28 " "  
 Swamp in last 1/2 mile, Land 2<sup>n</sup>. rate

East On Random between Sec. 3 & 10, T16 N. R. 3 E.  
 8.50 a Stream 10 lks. wide Course South  
 40.00 Set temp. q. Sec. post  
 80.46 Intersected the N & S. line 12 lks. N. of post  
 Land 2<sup>n</sup>. rate, Beech, Poplar, Ash, Elm &c.

West On true line between Sec. 3 & 10, T16 N. R. 3 E.  
 40.23 Set q. Sec. post at average dist. from which  
 a Poplar 54 in. dia. bears N 85 E 19 lks. dist. &

# N 6 N - R 3 E. 2<sup>d</sup>. Mer. Indiana

a Poplar 48 in. dia. bray S 45 W 20 lks. dist.  
80.46 to Sec. Corner.

North Between Sec. 3 of 4, N 6 N, R 3 E.

8.00 a Stream 5 th. wide Course East

14.65 a Lym 20 in. dia.

26.00 an Ash 10 " "

40.00 Let the q. Sec. post, from which  
a Beech 14 in. dia. bray N 35 E 18 lks. dist.  
x a Logwood 4 " " " S 35 W 14 " "

70.50 a Sugar 12 in. dia.

78.59 Intersected the N. boundary 36 lks. West  
of post (after Correction) Let a post cor. to Sec.  
3 of 4, N 6 N, R 3 E. from which  
a Sugar 10 in. dia. bray S 38 E 20 lks. dist. of  
a P. Oak 30 " " " N 42 W 44 " "  
Land 2<sup>d</sup>. rate Beech, Oak, Elm &c. Spruce-  
wood & Bush of all kinds.

North Between Sec. 32 of 33, N 6 N, R 3 E.

7.50 a Beech 10 in. dia.

25.95 a Hackberry 24 in. dia.

40.00 Let the q. Sec. post, from which  
a Sugar 14 in. dia. bray S 51 E 7 lks. dist. of  
a Co 12 " " " N 65 W 16 " "

61.95 an Elm 24 " "

80.00 Let a post cor. to Sec. 28, 29, 32 of 33, from which  
a Buckeye 12 in. dia. bray N 88 E 7 lks. dist.  
x a Co 13 " " " N 84 E 14 " "  
Land 2<sup>d</sup>. rate, timber Ash, Oak, Sugar  
unding<sup>to</sup> Sprucewood &c.

East On Rand<sup>m</sup>. between Sec. 28 of 33, N 6 N, R 3 E.

# West R 3 E. T. Mer. Indiana

40.00 Set temp. g. Sec. post  
 60.75 to White River  
 66.00 to opposite side of River  
 80.00 Intersected the N. & S. line 28 lks. S. of post  
 Land 2<sup>d</sup> rate timber Same as on last mile

---

West On true line between Sec. 28 & 33, T16 N. R 3 E.  
 14.00 Set a post on left bank of River, from which  
 a Buckeye 2 in. dia. bears N 41 W 5 lks. dist. of  
 a No 8 " " " S 11 E 9 " "  
 19 25 Set a post on right bank of River from which  
 a Sugar 12 in. dia. bears N 66 W 27 lks. dist.  
 of an Ironwood 8 " " " S 83 E 16 " "  
 40.00 Set the g. Sec. post, from which  
 a Beech 36 in. dia. bears N 61 W 31 lks. dist. of  
 a No 30 " " " N 70 E 13 " "  
 80.00 to Sec. Corner.

---

North Between Sec. 28 & 29, T16 N. R 3 E.  
 13.10 a Sugar 14 in. dia.  
 20.27 a Beech 18 " "  
 40.00 Set g. Sec. post from which  
 a Sugar 14 in. dia. bears S 65 E 12 lks. dist. of  
 a Walnut 14 " " " S 31 W 9 " "  
 52.10 a Hickory 12 " "  
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which  
 a B. W. 36 in. dia. bears S 80 E 19 lks. dist. of  
 a Beech 24 " " " N 80 W 13 " "  
 Land 2<sup>d</sup> rate Oak Beech Ash & undr. S. wood.

---

East On Random Between Sec. 21 & 29, T16 N. R 3 E.  
 40.00 Set the temp. g. Sec. post  
 80.00 Intersected the N. & S. line 27 lks. N. of post

T16 N. R3 E. 2<sup>d</sup>. Mer. IndianaLand 2<sup>d</sup>. rate timber as before.

West On true line Between Secs. 21 & 28, T16 N. R3 E,  
 40.00 Set a q<sup>r</sup>. Sec. post at average dist. from which  
 an Ash 48 in. dia. bears S45 E 2 chs. dist. &  
 a Beech 30 " " " N10 W 22 " "  
 80.00 to Section Corner.

North Between Secs. 20 & 21, T16 N. R3 E.  
 18.75 a Hackberry 12 in. dia.  
 28.50 a B. Walnut 12 " "  
 40.00 Set a q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. bears S76 E 7 chs. dist. &  
 a Sugar 30 " " " S65 W 7 " "  
 50.00 a Beech 12 " "  
 58.65 a Hickory 24 " "  
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which  
 a Sugar 12 in. dia. bears N44 W 32 chs. dist. &  
 an Ironwood 8 " " " S50 E 15 " "  
 Land 2<sup>d</sup>. rate timber as before—

East On Random Between Secs. 16 & 21, T16 N. R3 E.  
 40.00 Set the temp<sup>y</sup>. q<sup>r</sup>. Sec. post—  
 48.00 a Stream 10 chs. wide Course E.  
 80.10 Intersected the N. & S. line 50 chs. N. of post.  
 Land 2<sup>d</sup>. rate timber as before—

West On true line Between Secs. 16 & 21, T16 N. R3 E.  
 40.05 Set a q<sup>r</sup>. Sec. post at average dist. from which  
 a Hornbeam 10 in. dia. bears N29 E 25 chs. dist. &  
 a Buckeye 12 " " " S43 W 14 " "  
 80.10 to Section Corner



# S16 N R3 E. 2<sup>d</sup> Mer. Indiana

North Between Secs. 16 & 17, S16 N. R3 E.

12.05 a Hickory 14 in. dia.

16.75 a Sugar 12 " "

40.00 Set a q. Sec. post, from which  
a Beech 12 in. dia. bears N 78 E 1 lks. dist. &  
a Do 5 " " " N 84 W 36 " "

56.18 an Ash 14 in. dia. bears

70.00 a Sugar 14 " " "

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which  
a Buckeye 4 in. dia. bears S 55 E 9 lks. dist. &  
a Do 12 " " " N 55 W 16 " "

Land and timber as on the last mile.

East On Random Between Secs. 9 & 16, S16 N. R3 E.

40.00 Set a temp. q. Sec. post

80.16 Intersected the N. H. S. line 29 lks. S. of post.  
Land &c. as on the last mile.

West On true line Between Secs. 9 & 16, S16 N. R3 E.

40.00 Set a q. Sec. post at average dist. from which  
a Sugar 36 in. dia. bears S 16 W - lks. dist. &  
a Beech 6 " " " N 44 E 14 " "

Land 2<sup>d</sup> rate Beech Oak Hickory &c.

North Between Secs. 8 & 9, S16 N. R3 E.

6.90 a W Oak 36 in. dia.

15.17 a W Oak 16 " "

40.00 Set a q. Sec. post, from which  
a Beech 14 in. dia. bears N 54 W 4 lks. dist. &  
a Do 3 " " " S 77 E 9 " "

46.95 an Elm 30 " "

80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which  
a W. Oak 36 in. dia. bears N 68 E 28 lks. dist. &

West P 3 E 2<sup>nd</sup> Mer. Indiana

a Beech 12 in. dia. bears S 88 W 14 chs. dist.  
Land 2<sup>d</sup> rate timber as before -

East On Random Between Sec. 4 & 9, T 16 N, R 3 E.  
40.00 Set the temp<sup>y</sup>. of Sec. post.  
80.19 Intersected the N & S. line 41 chs. N. of post.  
Land 2<sup>d</sup> rate timber Beech Ash Oak &c.

West On true line Between Sec. 4 & 9, T 16 N, R 3 E  
40.09 1/2 Set of Sec. post at average dist. from which  
a Hickory 16 in. dia. bears N 80 E 14 chs. dist. &  
a Beech 12 " " " N 49 W 23 " "  
80.19 to Section Corner

North Between Sec. 4 & 5, T 16 N, R 3 E.  
5.00 a Beech 12 in. dia. be-  
24.50 a Beech 8 " "  
40.00 Set a of Sec. post, from which  
a Beech 24 in. dia. bears N 39 E 12 chs. dist. &  
a Do 14 " " " S 8 E 39 " "  
42.55 an Ash 20 " "  
77.82 Intersected the N. boundary 50 chs. E. of post.  
Established a Corner, from which  
a Hickory 18 in. dia. bears S 28 W 15 chs. dist. &  
a Hornbeam 4 " " " N 17 E 9 " "  
Land 2<sup>d</sup> rate -

North Between Sec. 31 & 32, T 16 N, R 3 E.  
5.10 W Oak 30 in. dia.  
32.00 a Beech " "  
40.00 Set of Sec. post, from which  
a Sugar 20 in. dia. bears N 31 W 13 chs. dist. &  
a W. Oak 24 " " " S 80 E 15 " "

# West R3E. 2<sup>d</sup> Mer. Indiana

57.15 a Beech 8 in. dia.  
 63.00 a Do 12 in. dia.  
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 12 in. dia. bears N 90 E 15 lks. dist. &  
 a Sugar 10 " " " S 1 E 19 " "  
 Land 2<sup>d</sup> rate timber Oak, Beech, Sugar, Hickory.

East On Random Between Sec. 29 & 32, T16 N. R3E.  
 37.00 a Stream 10 lks. wide Course S.W.  
 40.00 Set the 1<sup>st</sup> q. Sec. post.  
 80.25 Intersected the N. & S. line S. of post.  
 Land 2<sup>d</sup> rate

West On true line Between Sec. 29, 32, T16 N. R3E.  
 40.12 1/2 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears S 14 E 15 lks. dist. &  
 a Buckeye 10 " " " N 20 E 31 " "  
 80.25 to Section Corner

West Between Sec. 30 & 31, T16 N. R3E.  
 40.00 Set q. Sec. post, from which  
 a Ash 20 in. dia. bears S 28 E 15 lks. dist. &  
 a Beech 18 " " " N 11 W 25 " "  
 67.55 Intersected the W. boundary 21 lks. N. of post.  
 Set a post, from which  
 a Buckeye 3 in. dia. bears S 19 E 9 lks. dist. &  
 a Hickory 10 " " " N 33 W 25 " "  
 Land 2<sup>d</sup> rate Beech, Oak &c.

North Between Sec. 29 & 30, T16 N. R3E.  
 3.00 a Beech 12 in. dia.  
 31.85 a Do 12 " "  
 40.00 Set q. Sec. post, from which

# 16. N. R. 3 E. 2. Mr. Indiana

an Ash 8 in. dia. bears S 13 E 9 lks. dist. &  
 a No 5 " " " N 78 W 9 " "  
 30.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Hickory 12 in. dia. bears N 27 E 15 lks. dist. &  
 an Ash 14 " " " S 47 W 30 " "  
 Land 2<sup>d</sup> rate Beech, Oak, Elm, & Spice wood.

---

East On Random Between Sec. 20 & 29, S 16 N. R. 3 E.  
 40.00 Set the temp. y. of Sec. post  
 30.20 Intersected the N. & S. line 56 lks. N. of post.  
 Land 2<sup>d</sup> rate timber as before -

---

West On true line Between Sec. 20 & 29, S 16 N. R. 3 E.  
 40.10 Set of. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears N 35 W 14 lks. dist. &  
 a No 14 " " " S 25 E 29 " "  
 30.20 to Section Corner

---

West Between Sec. 19 & 30, S 16 N. R. 3 E.  
 40.00 Set the of. Sec. post. from which  
 a Sugar 12 in. dia. bears S 35 E 13 lks. dist. &  
 a Beech 14 " " " N 37 E 7 " "  
 67.50 Intersected the W. boundary at post -  
 Land 2<sup>d</sup> rate.

---

North Between Sec. 19 & 20, S 16 N. R. 3 E.  
 20.35 an Elm 30 in. dia.  
 33.80 a Buckeye 10 " "  
 40.00 Set of. Sec. post. from which  
 a Beech 11 in. dia. bears S 76 W 35 lks. dist. &  
 a No 12 " " " N 70 E 15 " "  
 53.70 a Beech 13 " "  
 56.45 a No 12 " "

# *Twp. 3 E. 2<sup>n</sup>. Mer. Indiana*

31.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which,  
a Sugar 14 in. dia., bears N 43° 34' E. dist. 8  
a Do 14 " " " S 9° E 30 " "  
Land 2<sup>d</sup> rate Beech, Oak, Elm, &c.

East On Random Between Sec. 17 & 20. S 16° N. R. 3 E.

40.00 Set the temp. y. of Sec. post

30.22 Intersected the N. & S. line 26 chs. S. of post  
Land 2<sup>d</sup> rate timber as before

West On true line Between Sec. 17 & 20. S 16° N. R. 3 E.

40.11 Set of Sec. post at average dist. from which  
a Beech 12 in. dia. bears N 33° 36' E. dist. 8  
a Buckeye 8 " " " S 32° E 1 " "

30.22 to Section Corner

West Between Sec. 18 & 19, S 16° N. R. 3 E.

40.00 Set of Sec. post, from which  
a Buckeye 5 in. dia. bears S 40° 45' E. dist. 8  
a Sycamore 10 " " " N 19° E 20 " "

68.00 Intersected the W. boundary at post. Set post, from  
which a Buckeye 14 in. dia. bears N 41° 23' E. dist. 8  
a Hornbeam 5 " " " S 6° E 17 " "  
Land 2<sup>d</sup> rate timber Beech, Oak, Hickory &c.

North Between Sec. 17 & 18, S 16° N. R. 3 E.

8.10 a Beech 14 in. dia.

14.95 a Hickory 24 " "

40.00 Set a of Sec. post from which  
an Ash 6 in. dia. bears N 65° 14' E. dist. 8  
a Beech 20 " " " N 30° E 15 " "

63.50 a Sugar 14 " "

67.24 a Beech 14 " "



# West R3 E2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 14 in. dia. bears S 85° W 14 lks. dist.  
a Sugar 12 " " " S 69° E 28 " "  
Land 2<sup>d</sup>. rate Beech, Oak &c.

East On Random Between Sec. 8 & 17, S 16 N, R3 E,  
40.00 Set the temp. y. of Sec. post  
80.10 Intersected the N & S. line 25 lks. N. of post.  
Land &c. Omitted -

West On true line Between Sec. 8 & 17, S 16 N, R3 E,  
40.05 Set a q. Sec. post at average dist. from which  
a Hickory 14 in. dia. bears N 17° E 3 lks. dist. &  
an Ash 8 " " " S 17° W 44 " "  
80.10 to Section Corner

West Between Sec. 7 & 18, S 16 N, R3 E,  
40.00 Set q. Sec. post. from which  
a Sugar 24 in. dia. bears S 48° E 24 lks. dist. &  
a Do 14 " " " N 39° E 21 " "  
68.25 Intersected the W. boundary 15 lks. N. of post  
Set a post from which  
a Hickory 20 in. dia. bears S 36° E 29 lks. dist. &  
a Sugar 12 " " " N 71° W 10 " "  
Land 2<sup>d</sup>. rate

North Between Sec. 7 & 8, S 16 N, R3 E  
8.20 a Sugar 14 in. dia.  
35.64 a Do 14 " "  
40.00 Set q. Sec. post. from which  
a Beech 12 in. dia. bears N 32° W 13 lks. dist. &  
a Do 20 " " " S 20° W 24 " "  
55.05 a Sugar 14 " "

# West R3 E. 2<sup>d</sup> Mer. Indiana

157

76.85 a Beech 10 in. dia.

90.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which  
a Beech 14 in. dia. bears N 77° W 14 lks. dist. &  
an Elm 12 " " " S 56° E 23 " "  
Land 2<sup>d</sup> rate Beech Oak Hickory Elm &c.  
Spicewood &c.

---

East On Random Between Secs. 5 & 8, T16 N, R3 E.

40.00 Set the temp<sup>y</sup>. of Sec. post

50.00 a stream 10 lks. wide Course S. W.

80.20 Intersected the N. H. S. line 10 lks. N. of post  
Land 2<sup>d</sup> rate Oak, Beech Hickory &c.

---

West On true line Between Secs. 5 & 8, T16 N, R3 E.

40.00 Set of Sec. post at average dist, from which  
a Beech 8 in. dia. bears S 27° W 5 lks. dist. &  
a Do 6 " " " N 27° E 4 " "

90.00 to Section Corner

---

West Between Secs. 6 & 7, T16 N R3 E.

40.00 Set of Sec. post, from which  
a Sugar 6 in. dia. bears S 18° W 12 lks. dist. &  
a Do 6 " " " N 18° W 14 " "

68.00 Intersected the W. boundary 9 lks. N. of post  
Set a post from which  
a Beech 20 in. dia. bears S 25° W 9 lks. dist. &  
an Ash 14 " " " N 20° E 13 " "  
Land 2<sup>d</sup> rate timber as before

---

North Between Secs. 5 & 6, T16 N R3 E.

25.05 a Sugar 12 in. dia.

33.15 Beech 14 " "

40.00 Set of Sec. post from which

# T16 N R3 E 2<sup>d</sup> Mer. Indiana

a Buckeye 10 in. dia. bears N 2<sup>1</sup>/<sub>4</sub> 22 lks. dist. &  
 a Sugar 12 " " " S 30<sup>1</sup>/<sub>4</sub> 14 " "  
 43.50 a Sugar 12 " "  
 73.50 a W. Oak 24 " "  
 77.50 Intersected the N. boundary 45 lks. E. of post,  
 Set a post from which  
 a Beech 14 in. dia. bears S 25<sup>1</sup>/<sub>4</sub> 25 lks. dist. &  
 an Ash 18 " " " N 48 E 16 " "  
 Land 2<sup>d</sup> rate Beech Oak, Hickory &c.

Meanders of the Left bank of White river  
 Commencing at a post in the South  
 boundary, thence up stream.

N 48 E 10 .50	In Sec 34, T16 N R3 E.
N 24 E 8 .50	
N 1 E 5 .00	
N 24 <sup>1</sup> / <sub>4</sub> 6 .00	
N 52 <sup>1</sup> / <sub>4</sub> 4 .00	
N 45 <sup>1</sup> / <sub>4</sub> 4 .50	
N 77 <sup>1</sup> / <sub>4</sub> 6 .00	
N 74 <sup>1</sup> / <sub>4</sub> 6 .00	
S 80 <sup>1</sup> / <sub>4</sub> 6 .00	
N 76 <sup>1</sup> / <sub>4</sub> 4 .00	
N 60 <sup>1</sup> / <sub>4</sub> 12 .50	
N 74 <sup>1</sup> / <sub>4</sub> 2 .60	Intersected line between Secs. 33 & 34

N 46 <sup>1</sup> / <sub>4</sub> 7 .50	In Sec. 33, T16 N R3 E
N 31 <sup>1</sup> / <sub>4</sub> 3 .00	
N 20 <sup>1</sup> / <sub>4</sub> 6 .50	
N 42 <sup>1</sup> / <sub>4</sub> 4 .00	
N 20 <sup>1</sup> / <sub>4</sub> 3 .00	
N 31 <sup>1</sup> / <sub>4</sub> 5 .00	
N 4 <sup>1</sup> / <sub>4</sub> 11 .50	

# T6 N R3 E. 2<sup>nd</sup> Mer. Indiana

N 37 E 2.50	Intersected line between Sec <sup>s</sup> . 23 & 33.
N 30 E 1.20	

N 47 E 4.50	In Sec 28
-------------	-----------

N 58 E 3.00
-------------

N 78 E 2.50
-------------

N 52 E 2.00
-------------

N 66 E 3.50
-------------

N 45 1/2 E 1.38	Intersected line between Sec <sup>s</sup> . 27 & 28
-----------------	---

N 47 E 4.00	In Sec 27
-------------	-----------

N 26 E 6.50
-------------

N 10 E 7.00
-------------

N 27 W 2.00
-------------

N 14 W 3.00
-------------

N 33 W 6.50
-------------

N 57 1/2 W 1.34	Intersected line between Sec <sup>s</sup> . 27 & 28.
-----------------	--

N 41 W 4.50	In Sec 28,
-------------	------------

North 8.50
------------

N 23 E 3.00
-------------

N 33 E 3.00
-------------

N 11 E 0.92	Intersected line between Sec <sup>s</sup> . 27 & 28
-------------	---

N 34 E 8.00	In Sec. 27
-------------	------------

N 54 E 5.50
-------------

N 37 E 8.00
-------------

N 22 E 2.97	Intersected line between Sec <sup>s</sup> . 22 & 27.
-------------	--

N 30 E 5.00	In Sec 22, T16 N. R3 E.
-------------	-------------------------

N 14 E 4.00
-------------

N 31 E 22.50
--------------

N 11 E 3.00
-------------

N 35 E 3.00
-------------

# *St. R. P. E. D. Mer. Indiana*

*N 5 E 16.00*

*N 17 E 4.00*

*N 1 E 3.00*

*N 25 E 3.00*

*N 17 E 2.00*

*N 26 E 3.50*

*North 3.50*

*N 23 W 4.50*

*N 16 W 3.94* *Intersected line between Sec. 15 & 22*

---

*N 32 W 4.00* *In Sec. 15, St. R. P. E. D.*

*N 64 W 4.00*

*N 56 W 5.00*

*N 27 W 4.50*

*N 48 W 9.00*

*N 20 W 2.00*

*N 35 W 3.00*

*N 25 W 6.00*

*N 30 W 4.50*

*N 14 W 3.50*

*N 18 E 2.50*

*N 69 E 4.50*

*N 86 E 4.00*

*S 86 E 1.50*

*S 72 E 15.50*

*S 85 E 4.00*

*N 83 E 8.50*

*N 69 E 4.00*

*N 75 E 16.80* *Stupendous Bluffs and deep gullies.*

*N 44 E 7.00*

*N 56 E 6.30*

*N 78 E 1.87* *Intersected line between Sec. 14 & 15*

---



# N 6 N P 3 E. 2<sup>nd</sup> Mer. Indiana

N 42 E	6.00	In Sec. 14 N 6 N P 3 E.
N 15 E	7.50	
N 9 W	12.00	
N 16 W	5.00	
N 32 W	1.10	Intersected line between Sec. 11 & 14.

---

N 12 W	11.17	Intersected line between Sec. 10 & 11.
--------	-------	--

---

N 6 W	5.50	In Sec 10
North	3.50	
N 11 W	6.00	
North	14.50	
N 15 W	5.50	
North	3.50	
N 13 E	4.50	
N 36 E	2.50	
N 20 1/2 E	1.41	Intersected line between Sec. 10 & 11.

---

N 51 E	9.50	In Sec. 11
N 48 E	7.00	
S 87 E	10.00	
N 75 E	4.50	
N 85 E	5.00	
N 76 E	5.50	
N 84 E	2.50	
N 67 E	10.00	
N 80 E	3.50	
N 65 E	4.00	
N 80 E	5.50	
N 39 E	3.50	
N 19 E	3.00	
N 31 1/2 E	0.98	Intersected line between Sec. 2 & 11.

---

# *T16N R23E 2<sup>d</sup> Mer. Indiana*

N 18 E	3.50	In Sec 2, T16N. R23E
N 9 E	9.50	
N 2 E	5.00	
N 9 E	5.50	
North	10.50	
N 15 E	20.00	
North	5.00	
N 16 E	16.86	Intersected line between Secs. 1 & 2.

N 3 & E	4.10	Intersected line between Towns 16 & 17
---------	------	--

*Meanders of the Right bank of White river  
Commencing at a post in the North boundary  
thence down stream*

S 30. 1/2	4.00	In Sec. 2, T16N. R23E
S 17. 1/2	6.50	
S 8. 1/2	1.50	
S 15 1/2	7.50	
S 26 1/2	3.00	
S 16 1/2	4.00	
S 8 1/2	7.50	
S 14 1/2	8.00	
S 18 1/2	4.50	
S 3 E	9.50	
S 8 1/2	19.50	
S 16 1/2	2.50	
S 25 1/2	2.29	Intersected line between Secs. 2 & 11.

S 29 1/2	2.50	in Sec. 11, T16N. R23E.
S 64 1/2	2.00	
S 72 1/2	16.50	
S 81 1/2	9.00	
S 73. 1/2	6.00	

# *West R3E. 2<sup>d</sup> Mer. Indiana*

S68 1/4	6.00	Stupendious Bluffs & gulches
N83 1/4	4.00	
S83 1/4	9.50	
S54 1/4	3.50	Intersected line between Sec. 10 & 11

S50 1/4	3.50	in Sec. 10
S30 1/4	3.00	
S35 1/4	4.00	
S11 1/4	3.50	
S36 1/4	2.50	
S3 1/4	11.00	
S18 E	1.50	
S31 E	4.50	Bluffs & gulches.
S1 E	20.00	
S13 E	7.50	
S8 E	6.50	
S22 1/2 E	1.50	Intersected line between Sec. 10 & 15

S13 E	9.50	in Sec. 15
S20 E	1.66	Intersected line between Sec. 14 & 15.

S11 E	4.00	In Sec 14
S3 E	2.50	
S3 1/4	4.00	
S34 1/4	1.15	Intersected line between Sec. 14 & 15

S41 1/4	6.00	In Sec. 15
S59 1/4	9.00	
S78 1/4	3.00	
S64 1/4	9.00	
S75 1/4	16.00	
S86 1/4	3.00	
N80 1/4	4.50	

164

## T16N R3 E2 Mer. Indiana

N 61 W	7.00
N 89 W	16.50
S 47 W	2.00
S 42 W	2.50
S 5 W	8.50
S 22 E	6.00
S 20 E	5.50
S 33 E	3.00
S 26 E	6.50
S 42 E	14.50
S 64 E	2.50
S 50 E	0.96

Intersected line between Sec. 15 &amp; 22.

S 54 E	2.00
S 37 E	6.50
S 4 E	4.50
S 18 W	3.50
S 25 W	12.00
S 8 W	19.00
S 2 W	3.00
S 27 W	9.50
S 35 W	10.00
S 25 1/2 W	16.72

In Sec. 22, T16N-R3E.

Intersected line between Sec. 22 &amp; 27.

S 34 W	9.00
S 50 W	5.65

In Sec. 27, T16N-R3E

Intersected line between Sec. 27 &amp; 28.

S 37 W	8.50
S 17 W	7.00
S 1 W	10.00
S 20 E	6.70
S 54 E	6.10

In Sec. 28, T16N-R3E

Intersected line between Sec. 27 &amp; 28.

# T6 N. R3 E. 2<sup>nd</sup> Mer. Indiana

S30 E	5.00	In Sec. 27, T6 N. R3 E
South	5.50	
S17 1/4	7.50	
S3 1/4	2.52	
		Intersected line between Secs. 27 & 28.
S47 1/4	6.50	In Sec. 28, T6 N. R3 E
S70 1/4	10.50	
S36 1/4	7.00	
S19 1/4	1.50	
		Intersected line between Secs. 28 & 33.
S15 1/4	6.00	In Sec. 33, T6 N. R3 E
S4 E	8.50	
S20 E	9.00	
S26 E	2.00	
S39 E	3.50	
S24 E	6.50	
S40 E	2.50	
S36 E	3.50	
S56 E	4.50	
S50 E	2.00	
S59 E	1.77	
		Intersected line between Secs. 33 & 34
S60 E	14.00	In Sec. 34, T6 N. R3 E.
S79 E	9.00	
S87 E	5.50	
S82 E	3.00	
S67 E	5.50	
S47 E	5.50	
S8 E	4.00	
S31 1/4	14.00	
S49 1/4	6.00	
S32 1/4	1.26	
		Intersected line between Towns 15 & 16.
Conf.		



T6N R3E.2.<sup>nd</sup> Mer. Indiana

I certify that the foregoing transcript of field notes of Township N. 6. S. Range N. 3. East 2. Mer. Indiana has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office  
Cincinnati June 5. 1843

P. S. Raine  
Sur. Genl.